

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	60	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:26
L2	24	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:17
L3	14	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and hybrid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:25
L4	247	60/608.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:18
L5	2	"1984830".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:17
L6	2	"2949541".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:17
L7	2	"2095806".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:18
L8	2	"2359886".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:19
L9	1	"3626197".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:19
L10	1	"4529887".PN.	USPAT; USOCR	OR	OFF	2004/11/08 09:20
L11	94	60/607.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:34
L12	163	60/597.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:17

L13	442	60/597.ccls. or 60/607-608.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 12:40
L14	50649	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:19
L15	3904	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission altitude and ((constant or variable) near3 pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:19
L16	0	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:19
L17	0	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and altitude and ((constant or variable) near3 pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:19
L18	5	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and ((constant or variable) near3 pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:21
L19	2	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and elevation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:21

L20	4	(60/597.ccls. or 60/607-608.ccls.) and ((constant or variable) near3 pressure) and altitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:22
L21	1	"5307632".PN.	USPAT; USOCR	OR	OFF	2004/11/08 10:24
L22	0	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and transmission and hybrid and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:25
L23	5	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and battery and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:28
L24	5	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and ((electric or electrical or electrically) near3 motor) and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 12:37
L25	9	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and (exhaust near3 generator) and battery and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:29
L26	126	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and battery and ((electric or electrical or electrically) near3 motor) and altitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:30
L27	53	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and battery and ((electric or electrical or electrically) near3 motor) and altitude and ((constant or variable) near3 pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:32
L28	2	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and battery and ((electric or electrical or electrically) near3 motor) and altitude and ((constant or variable) near3 ((boost or turbo or turbocharger) near2 pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:38

L29	1	JP-06317169-a\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 12:44
L30	2	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and battery and ((electric or electrical or electrically) near3 motor) and (altitudes or altitude) and ((constant or variable) near3 ((boost or turbo or turbocharger) near2 pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:40
L31	5	(turbocharger or turbo or supercharger or "turbo compressor" or "turbo supercharger") and battery and ((electric or electrical or electrically) near3 motor) and (altitudes or altitude) and ((constant or variable) near3 (boost or turbo or turbocharger))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:40
L32	21	(60/597.ccls. or 60/607-608.ccls.) and hybrid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 12:59
L33	2	JP-02119632-a\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 12:44
L34	2	(60/597.ccls. or 60/607-608.ccls.) and hybrid and "drive train"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:01
L35	4	(60/597.ccls. or 60/607-608.ccls.) and hybrid and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:02
L36	311	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and hybrid and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:02
L37	311	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and hybrid and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:03

L38	31	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and hybrid and transmission and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:04
L39	14	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and hybrid and transmission and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and battery and generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:13
L40	4	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and hybrid and ("drive train " or drivetrain) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and battery and generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:40
L41	1	de-19600252-a\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:18
L42	1	1997-352008.NRAN.	DERWENT	OR	OFF	2004/11/08 14:17
L43	4	"5713245"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:19
L44	58	"5713425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:19
L45	30	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:41
L46	56	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:41

L47	10	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude and ((constant near3 pressure) or (variable near3 pressure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:42
L48	8	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude and ((constant near3 pressure) or (variable near3 pressure)) and generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:42
L49	8	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude and ((constant near3 pressure) or (variable near3 pressure)) and generator and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:45
L50	2	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude and ((constant near3 pressure) or (variable near3 pressure)) and generator and motor and hybrid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:43
L51	5	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and altitude and ((constant near3 pressure) or (variable near3 pressure)) and generator and motor and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:46
L52	6	(60/597.ccls. or 60/607-608.ccls. or "290"/\$.ccls. or "477"/\$.ccls. or "180"/\$.ccls.) and (turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (altitude or altitudes or elevation) and ((constant near3 pressure) or (variable near3 pressure)) and generator and motor and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:48

L53	22	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (altitude or altitudes or elevation) and ((constant near3 pressure) or (variable near3 pressure)) and generator and motor and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 15:07
L54	127	290/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 15:09
L55	912	290/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 15:10
L56	29	290/52.ccls. and turbocharger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 15:10